

N. MICRO

S.A.R.L.

Meeting & Serving the needs of OEMs in Lebanon & the region since 1996.

Introduction of our Company:

- We are distributors of electronic components, power supply units, industrial & home automation, electrical panels, PV & UPS systems, batteries...
- We provide complete turnkey solutions and maintenance for Industrial automated control systems, Photovoltaic backup and remote power systems.
- We design, program and prototype electronic circuits

Our Branches







Beirut, Dora Branch

Zahle Beqaa Branch

Beirut Mar Michael Branch

SOME OF OUR BRANDS



- Power Supplies, Battery chargers, Backup systems
- LED Power supplies.



• Microcontrollers.



- Programmable Logic Controllers
- Variable frequency drives



- UPS backup systems
- Solar variable frequency drives



• Industrial sensors and switches.



Electronics development tools.



• Terminal blocks, connectors.



Home Automation.



• Relays.



• Batteries.



Far Infrared Heaters



High Reliability Standard Switching Power Supply one stop shopping for all the power Supply

101111







LSIS offers drive solutions that can achieve reduction in energy consumption significantly.

















Integrated MPPT (Maximum Power Point Tracking)


MPPT algorithm enables you to extract best power from your solar panel under all conditions. It tracks the maximum output power available from the solar panel during the day and automatically adjust them for the most optimal utilization of solar energy.

Answer for optimal off-grid solution

From irrigation of fields to remote villages or isolated places, solar pump system can be well suited to satisfy the water pumping demand. It is perfect and flexible option for power source.


Advanced time control

Scheduling (Time event: Real Time Clock) functionality makes possible for the solar drive system to star and stop automatically based on radiation condition of the sun.



All-round protection

Protection specified for pumps such as dry run, pipe broken, pump overload prevents any possible pump damages ensuring the system run safe and reliable.



Let your Drive turn Light into Power!



Cost Saving

It immediately reduces or even eliminates the cost from electrical grid and protects your business against future power price rises.



Low Labor

Automatic control depending on solar energy availability enables unmanned control and requires little to no maintenance.



Eco Friendly

This renewable energy does not produce air pollutants without emitting CO2.

HANSOL











7						
	Model name	NH-200 NH-200F	NH-290 NH-290F	NH-300 NH-300F	NH-600 NH-600F	NH-800 NH-800F
	Fuel type	Diesel	Diesel	Diesel	Diesel	Diesel
	Fuel Consumption L/h	0.9	1,2	1.4	1.7	2.3
H	leat Output (kcal/h	8,000kcal	11,000kcal	13,000kcal	16,000kcal	21,000kcal
Ra	ated Voltage	AC220V/50Hz	AC220V/50Hz	AC220V/50Hz	AC220V/50Hz	Z AC220V/50H
Po	wer Consumption	50W/90W	56W/96W	57W/97W	57W/97W	70W/110W
Dimensions (WxDxH)		760x320x930 (355)	760x320x1080 (355)	940x320x1080 (355)	1300x320x1100 (355)	1300x320x127 (355)
Fuel tank capacity		25 l	25 Q	30 l	45 Q	45 Q
Exhaust diameter		Ø75mm	Ø75mm	Ø100mm	Ø100mm	Ø100mr
Weight		37kg/39kg	44kg/46kg	53kg/55kg	60kg/62kg	g 65kg/67

Basic Model

NH-200 NH-290 NH-300 NH-600 NH-800

NH-300F NH-600F NH-800F

NH-290F
























BroadLink















Sensors

Light Switch



US/EU/UK Versions



IR Control



IR+RF Control



Environment Sensor


Alarm Kit




RM pro 433MHz



Roller Shutter & Curtain Motors Window Actuators










Relays


Signal Relay Power Relay

Latching Relay Automotive Relay

Industrial Relay Relay Socket
Hermetically Sealed Relay Relay Socket

































Microchip microcontrollers, development kits and peripheral ICs.
















Online sinewave UPS

Internal battery & External battery long backup time models










1 - 3KVA



POWTRAN



Soft stop function

Soft stop function efficiently solve the stop of inertial systems.

Surge problem: It can not be realized by traditional starting device.A



Multi-Mode Start

6 kinds of special start model: To suit complicated motor and load situation.

PR5200 series


High-quality Soft starter



PR5200 series soft starter, with the newest motor control theory and proprietary motor protection technology, it's an alternative products of old star delta conversion, auto-induction voltage-reduced starting and Excitation step-down device.

Braking resistors








Primary Batteries



GoldenPower®



Silver Oxide



Lithium







Alkaline

Rechargeable Batteries











Sealed lead acid deep-cycle



Ni-MH Ni-Cd





Li-ion Li-Polymer

Panel Enclosures

B&J®





Switches





Diptronics





























Universal Programmers











✓ Supply: 5V

✓ Sensitivity: -106 dBm

✓ Consumption: 2.5 mA

✓ Dimension: 38.1 x 12.3 x 3 mm




Modulation: ASK (AM)

Frequency: 433.92 MHz

✓ Sensitivity: -100 dBm


✓ Consumption: 0.07 mA

✓ Dimension: 40.1 x 17.5 x 5.5 mm



Modulation: ASK (AM)

✓ Dimension: 38.1 x 11 x 3 mm



✓ Consumption: 25 mA

✓ ERP Power: 10 mW

✓ Dimension: 56 x 18.5 x 8 mm




Modulation: FSK (FM) PLL

Frequency: 433.92 MHz

✓ ERP Power: 10 mW

✓ Dimension: 25.4 x 12.4 x 2.5 mm



✓ Superheterodyne

Modulation: FSK (FM)

✓ Supply: 3÷5.5 V


Frequency: 869.2125 / 869.2375 MHz

✓ Sensitivity: -115 dBm

✓ Consumption: 40 mA

√ Dimension: 45.7 x 20 x 3.5 mm

















Programmable Relays













DC and AC Fans













Digital stepper driver and motor

Digital Driver with built-in micro technology,much improve smooth and noise from the low subdivision .

Integrating automatic parameter tuning function inside.

Can adjust the optimal operation parameters automatically for different motors to maximize the performance of the motor.















- SMT Assembly
- ☐ Tin Lead Solder Paste
- □ Lead-Free Solder Paste
- □ Water Soluble Solder Paste
- □ Package on Package Solder Paste
- □ Low Temperature Solder Paste
- ☐ Halogen Free Solder Paste
- □ Adhesive

- Wave Solder Assembly
- ☐ Solder Bar
- □ Cored Solder Wire
- □ Lead Free Solder Wire
- ☐ Halogens Free Solder Wire















Monorail / Electric Chain Hoist:













SAGA1-L8B

SAGA1-L10,

L10-1

Tower Crane:













SAGA1-K3,K4 SAGA1-L12, L12-1

SAGA1-L40

Overhead Crane:



SAGA1-L8B

SAGA1-K3,K4









SAGA1-L12, L12-1



L10-1

SAGA1-L40

Tow Truck:













SAGA1-V6 (DC TYPE)

© Concrete Mixer:





(DC TYPE)







SAGA1-L8 (DC TYPE)



SAGA1-V6 (DC TYPE)

Lifting Equipment:







(DC TYPE)



SAGA1-L8 (DC TYPE)



SAGA1-V6 (DC TYPE)









Flow Sensors



Pressure Sensors



Capacitive Proximity


Sensors



22/25/30mm Control Switches



Vibrating Fork Level Switches



Guided Radar (TDR)

Ultrasonic Level Sensors

Radar Wave Level Sensors

One-Touch Capacitive Proximity Sensors

Float Level Switches

Metal Float Level Switches

Rotating Paddle Level Switches

Capacitive Proximity Sensors

Vibrating Fork Level Switches







Ultrasonic Level Transmitter Rotating Paddle Level Switches










Add-On Boards

We have an arsenal of accessory boards for almost everything you need. If you have a development system, we provide the easiest way to expand it's functionality in many segments. Add wireless communication, real-time clocks, storage interface, displays, measurement sensors, audio signalization, and much more with our accessory boards. We offer Proto boards, IDC10 header compatible boards and Click Boards™




Click Boards (257)





mikromedia shields (8)

click shields (12)





Some of our projects:





Cement Factory Control Panel & Automation with Billing & Remote Access



WEIGHING AND PACKING MACHINE CONTROL PANEL WIRING AND PLC PROGRAMMING





WEIGHING AND PACKING MACHINE:







PLASTIC INJECTION MACHINE







CONSTANT WATER PRESSURE CONTROL SYSTEM USING PLC & VFD



PID CONTROL




Our VFD units at Sicomo Paper recycling plant






Our VFD units at Pharmaline, Four 160kW Air Conditioning chiller compressors.





SOLAR WATER PUMPING 80HP

East Beqaa





Distribution








100kW Array

SOLAR TRACKING SYSTEM 3.6KW







Address #1
Dora Highway, Dedeyan Center,
Block A, Ground Floor,
Beirut, Lebanon

Tel: +961-1-260404

Fax: +961-1-260405

Email: info@narincomicro.com

Address #2
Zahle Industrial City,
Main Road - Naddaf Project No. 2

Tel: +961-70-687200 Tel: +961-8-931848 Address #3 Rmeil, Mar Mikhael, Armenia Street, Tel: +961-1-443560

Fax: +961-1-563720